

ROLLSROLLER®
— FLATBED APPLICATOR —

R O L L S R O L L E R ® A M B A S S A D O R

PRODUCT CATALOGUE 2025

W E L C O M E T O O U R W O R L D



SIGN PRODUCTIVITY THAT
IMPRESSES!

EXPLORE ROLLSROLLER®

ROLLSROLLER® SIGNATURE

Fast setup and low investment cost



FEATURE CHART SIGNATURE

ROLLSROLLER® Quality work station	✓
Original Cutting mat	✓
Optimized media holder on short side	✓
Multidirectional media holder on glide beam	✓
Casters-movability	✓
Solid welded steel chassis	✓
Side trays	✓
Powerful and ergonomic glide beam	✓
Customized sizes available	✓
ROLLSROLLER® warranty 5 years	✓
Shipped fully assembled (Plug & Play)	option
Illuminated LED table- (dimnable)	option
Additional glide beam with roller	option
Air blow gun	option
EXC KeenCut EVO 3	option
VinylRemover	option
Additional roll holder short side	option
Oil free Compressor	option

ROLLSROLLER® SIGNATURE PLUS

The perfect match for the modern sign shop




FEATURE CHART SIGNATURE PLUS

ROLLSROLLER® Quality work station	✓
Original Cutting mat	✓
Optimized media holder on short side	✓
Multidirectional media holder on glide beam	✓
Casters-movability	✓
Solid welded steel chassis	✓
Side trays	✓
Powerful and ergonomic glide beam	✓
Customized sizes available	✓
ROLLSROLLER® warranty 5 years	✓
Quick and easy installation	✓
Illuminated LED table- (dimnable)	✓
Integrated USB A + C charging station	✓
Advanced electrical height adjustment	✓
Additional glide beam with roller	option
Antistatic system	option
Air blow gun	option
EXC KeenCut EVO 3	option
VinylRemover	option
Additional roll holder short side	option
Heat assisted roller 40°C-60°C / 104°F-140°F	option
R-Drive (motorized glide beam)	option
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	option
Oil free Compressor	option

ROLLSROLLER® PREMIUM

Made to meet the needs of high volume industrial production



FEATURE CHART PREMIUM

ROLLSROLLER® Quality work station	✓
Original Cutting mat	✓
Roll holder on short side	✓
Roll holder on glide beam	✓
Casters-movability	✓
Solid welded steel chassis	✓
Side trays	✓
Powerful and ergonomic glide beam	✓
Customized sizes available	✓
ROLLSROLLER® warranty 5 years	✓
Shipped fully assembled (Plug & Play)	✓
Illuminated LED table- (dimnable)	✓
Big banner side feeding	✓
Electrical height adjustment	option
Additional glide beam with roller	option
Antistatic system	option
Air blow gun	option
EXC KeenCut EVO 3	option
VinylRemover	option
Additional roll holder short side	option
Heat assisted roller 40°C-60°C / 104°F-140°F	option
R-Drive (motorized glide beam)	option
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	option
Oil free Compressor	option





ROLLSROLLER® INVENTOR EDITION

Andreas Johansson



FEATURE CHART INVENTOR EDITION

ROLLSROLLER® Quality work station	✓
Original Cutting mat	✓
Roll holder on short side	✓
Roll holder on glide beam	✓
Casters-movability	✓
Solid welded steel chassis	✓
Side trays	✓
Powerful and ergonomic glide beam	✓
Customized sizes available	✓
ROLLSROLLER® warranty 5 years	✓
Shipped fully assembled (Plug & Play)	✓
Illuminated LED table- (dimnable)	✓
Big banner side feeding	✓
Electrical height adjustment	✓
Additional glide beam with roller	✓
Antistatic system	✓
Air blow gun	✓
EXC KeenCut EVO 3	✓
VinylRemover	✓
Additional roll holder short side	✓
Heat assisted roller 40°C-60°C / 104°F-140°F	✓
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	option
Oil free Compressor	option



ROLLSROLLER® SIGNATURE

ROLLSROLLER® SIGNATURE if you have limited space. Delivered flat packed for access to almost any sign shop environment. Fast setup and low investment cost gives you access to the ROLLSROLLER® flatbed production method today.

THIS IS INCLUDED ROLLSROLLER® SIGNATURE Flatbed Applicator; Pneumatically controlled roller which is automatically adjusted for substrates up to 65 mm (2,56in); Flatbed worktable with a uniquely designed self-healing cutting mat; Roll holder on glide beam for pre-masking tape and laminate; Side trays.

CUSTOMIZED SIZES AVAILABLE
Contact your dealer.

SIGNATURE



ROLLSROLLER®
— FLATBED APPLICATOR —



SIGNATURE PLUS

ROLLSROLLER® SIGNATURE PLUS

ROLLSROLLER® SIGNATURE PLUS is the perfect match for the modern sign shop. It has a wide range of options available.

THIS IS INCLUDED


ROLLSROLLER® Signature Plus Flatbed Applicator; Pneumatically controlled roller which is automatically adjusted for substrates up to 65 mm (2,56in) LED Illuminated table top; Smart electrical height adjustable table with memory settings; Flatbed worktable with a uniquely designed self-healing cutting mat; Roll holder on glide beam for pre-masking tape and laminate; Roll holder on bed end for printed or cut film; Stop static kit (cord and magnet) to remove static electricity; USB A & C ports; Casters (lockable); Owner's manual.

CUSTOMIZED SIZES AVAILABLE Contact your dealer.

ROLLSROLLER®

SIGNATURE

#ROLLSROLLERSIGNATURE



MODEL NAME	ROLLSROLLER® 120/100S	ROLLSROLLER® 300/147S	ROLLSROLLER® 300/170S	ROLLSROLLER® 360/147S
Part no.	122-001	122-002	122-003	122-004
Model type	Signature	Signature	Signature	Signature
Bed length	1 240 mm / 4ft. 0,8in.	3 040 mm / 9ft. 11,7in.	3 040 mm / 9ft. 11,7in.	3 640 mm / 11ft. 11,3in.
Bed width	1 000 mm / 3ft. 3,4in.	1 470 mm / 4ft. 9,9in.	1 700 mm / 5ft. 6,9in.	1 470 mm / 4ft. 9,9in.
Length of working area	940 mm / 3ft. 1in.	2 740 mm / 8ft. 11,9in.	2 740 mm / 8ft. 11in.	3 340 mm / 10ft. 11,5in.
Width of working area/roller width	930 mm / 3ft. 0,6in.	1 400 mm / 4ft. 7,1in.	1 630 mm / 5ft. 4,2in.	1 400 mm / 4ft. 7,1in
Work height flatbed	875 mm / 2ft. 10,4in.	875 mm / 2ft. 10,4in.	875 mm / 2ft. 10,4in.	875 mm / 2ft. 10,4in.
Max. thickness of substrate	65 mm / 2,56in.	65 mm / 2,56in.	65 mm / 2,56in.	65 mm / 2,56in.
Bed surface	Tempered glass + Cutting mat	Tempered glass + Cutting mat	Tempered glass + Cutting mat	Tempered glass + Cutting mat
Optimized media holder on short side	yes	yes	yes	yes
Multi directional roll holder on glide beam	yes	yes	yes	yes
Casters movability	yes	yes	yes	yes
Side trays for tool storage	yes	yes	yes	yes
Powerful and ergonomic glide beam	yes	yes	yes	yes
Stop static kit (cord and magnet)	yes	yes	yes	yes

UPGRADE YOUR ROLLER

PRODUCT NAME	PART NO.	PART NO.	PART NO.	PART NO.
Illuminated LED table- (dimnable)	111-001	111-002	111-003	111-004
Additional glide beam with roller	-	121-002	121-003	121-002
Air blow gun	126-055	126-055	126-055	126-055
EXC KeenCut EVO 3	71864	71864	71864	71864
VinylRemover (incl. bracket)	71869	71856	71856	71854
Additional roll holder short side	126-027	126-028	126-029	126-028
Roll cradle 1 300	126-056	126-056	126-056	126-056
Oil free Compressor	50213	50213	50213	50213

ROLLSROLLER®
— FLATBED APPLICATOR —



ROLLSROLLER® 360/170S	ROLLSROLLER® 420/147S	ROLLSROLLER® 420/170S
122-005	122-006	122-007
Signature	Signature	Signature
3 640 mm / 11ft. 11,3in.	4 240 mm / 13ft. 10,9in.	4 240 mm / 13ft. 10,9in.
1 700 mm / 5ft. 6,9in.	1 470 mm / 4ft. 9,9in.	1 700 mm / 5ft. 6,9in.
3 340 mm / 10ft. 11,5in.	3 940 mm / 12ft. 11,1in.	3 940 mm / 12ft. 11,1in.
1 630 mm / 5ft. 4,2in	1 400 mm / 4ft. 7,1in.	1 630 mm / 5ft. 4,2in.
875 mm / 2ft. 10,4in.	875 mm / 2ft. 10,4in.	875 mm / 2ft. 10,4in.
65 mm / 2,56in.	65 mm / 2,56in.	65 mm / 2,56in.
Tempered glass+Cutting mat	Tempered glass+Cutting mat	Tempered glass+Cutting mat
yes	yes	yes
yes	yes	yes
yes	yes	yes
yes	yes	yes
yes	yes	yes

PART NO.	PART NO.	PART NO.
111-005	111-006	111-007
121-003	121-002	121-003
126-055	126-055	126-055
71864	71864	71864
71854	71854	71854
126-029	126-028	126-029
126-056	126-056	126-056
50213	50213	50213

OUTPUT

Up to 1,63 meter (64in.) wide; Up to 4 meter (12ft 11,1in.) long.



40-60 m²/hr
(645 ft²/hr)

OPTIONS



Illuminated LED Table (dimnable)



Additional Glide beam with roller



Air blow gun



EXC KeenCut EVO 3



Oil free Compressor



Roll cradle 1 300 mm



VinylRemover

WARRANTY


5 years limited warranty.

ROLLSROLLER® SIGNATURE PLUS

MODEL NAME	ROLLSROLLER® 300/170S Plus	ROLLSROLLER® 360/170S Plus	ROLLSROLLER® 360/212S Plus	ROLLSROLLER® 420/170S Plus	ROLLSROLLER® 420/212S Plus
Part no.	122-008	122-009	122-010	122-011	122-012
Model type	Signature Plus	Signature Plus	Signature Plus	Signature Plus	Signature Plus
Bed length	3040mm/ 9ft 11,7in	3640mm/ 11ft 11,3in	3640mm/ 11ft 11,3in	4240mm/ 13ft 10,9in	4240mm/ 13ft 10,9in
Bed width	1700mm/ 5ft 6,9in	1700mm/ 5ft 6,9in	2120mm/ 6ft 11,5in	1700mm/ 5ft 6,9in	2120mm/ 6ft 11,5in
Length of working area	2740mm/ 8ft 11,9in	3340mm/ 10ft 11,5in	3340mm/ 10ft 11,5in	3940mm/ 12ft 11,5in	3940mm/ 12ft 11,5in
Width of working area/roller width	1630mm/ 5ft 4,2in	1630mm/ 5ft 4,2in	2050mm/ 6ft 8,7in	1630mm/ 5ft 4,2in	2050mm/ 6ft 8,7in
Work height flatbed	800-1150mm/	800-1150mm/	800-1150mm/	800-1150mm/	800-1150mm/
Smart electrical height adjustment.	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in
Max. thickness of substrate	65mm/ 2,56in	65mm/ 2,56in	65mm/ 2,56in	65mm/ 2,56in	65mm/ 2,56in
Bed surface	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat
Illuminated LED table- (dimnable)	yes	yes	yes	yes	yes
Integrated USB A + C charging station	yes	yes	yes	yes	yes
Optimized media holder on short side	yes	yes	yes	yes	yes
Multi directional roll holder on glide beam	yes	yes	yes	yes	yes
Casters-movability	yes	yes	yes	yes	yes
Side trays for tool storage	yes	yes	yes	yes	yes
Powerful and ergonomic glide beam	yes	yes	yes	yes	yes
Stop static kit (cord and magnet)	yes	yes	yes	yes	yes

UPGRADE YOUR ROLLSROLLER®

PRODUCT NAME	PART .NO	PART.NO	PART NO.	PART NO.	PART.NO
Additional glide beam with roller	121-003	121-003	121-004	121-003	121-004
Antistatic System	126-053	126-053	126-054	126-053	126-054
Air blow gun	126-055	126-055	126-055	126-055	126-055
EXC KeenCut EVO 3	71864	71864	71864	72520	71864
VinylRemover (incl. bracket)	71856	71856	71854	71854	71856
Additional roll holder on short side	126-029	126-029	126-030	126-029	126-030
Heat assisted roller 40°C-60°C	121-009	121-009	N/A	121-009	N/A
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	On request	On request	On request	On request	On request
Roll cradle 1 300	126-056	126-056	126-056	126-056	126-056
Oil free Compressor	50213	50213	50213	50213	50213
R-Drive, motorized glide beam	On request	On request	On request	On request	On request




ROLLSROLLER® 540/170S Plus	ROLLSROLLER® 540/212S Plus	ROLLSROLLER® 600/170S Plus	ROLLSROLLER® 600/212S Plus
122-013	122-014	122-015	122-016
Signature Plus	Signature Plus	Signature Plus	Signature Plus
5440mm/ 13ft 10,2in	5440mm/ 13ft 10,2in	6040mm/ 19ft 9,8in	6040mm/ 19ft 9,8in
1700mm/ 5ft 6,9in	2120mm/ 6ft 11,5in	1700mm/ 5ft 6,9in	2120mm/ 6ft 11,5in
5140mm/ 16ft 10,4in	5140mm/ 16ft 10,4in	5740mm/ 18ft 10in	5740mm/ 18ft 10in
1630mm/ 5ft 4,2in	2050mm/ 6ft 8,7in	1630mm/ 5ft 4,2in	2050mm/ 6ft 8,7in
800-1150mm/	800-1150mm/	800-1150mm/	800-1150mm/
2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in	2ft 7,5in-3ft 9,3in
65mm/ 2,56in	65mm/ 2,56in	65mm/ 2,56in	65mm/ 2,56in
Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes

PART.NO.	PART. NO	PART. NO	PART. NO
121-003	121-004	121-003	121-004
126-053	126-054	126-053	126-054
126-055	126-055	126-055	126-055
71864	72528	71864	71864
71854	71854	71854	71854
126-029	126-030	126-029	126-030
121-009	N/A	121-009	50118
On request	On request	On request	On request
126-056	126-056	126-056	126-056
50213	50213	50213	50213
On request	On request	On request	On request

OUTPUT

Up to 2,05 meter (80in.) wide; Up to 5,74 meter (18ft 10in.) long.



60-80 m²/hr
(861 ft²/hr)

OPTIONS



Additional Glide
beam with roller



Antistatic
system



VinylRemover



Motorized
Glide beam



Heat assisted
rolle r



Extended roller
adjustment



Oil free
Compressor



Air blow gun



EXC KeenCut
EVO 3



Roll cradle
1 300 mm

WARRANTY

5 years limited warranty.
* On request contact your dealer





MODEL NAME	ROLLSROLLER® 400/170P	ROLLSROLLER® 400/220P	ROLLSROLLER® 540/170P	ROLLSROLLER® 540/220P	ROLLSROLLER® 605/170P	ROLLSROLLER® 800/170P	ROLLSROLLER® 1080/170P
Part no.	10103	10320	10104	10105	10106	10518	10107
Model type	Premium	Premium	Premium	Premium	Premium	Premium	Premium
Bed length	4 000 mm / 13ft. 2in.	4 000 mm / 13ft. 2in.	5 400 mm / 17ft. 9in.	5 400 mm / 17ft. 9in.	6 040 mm / 19ft. 10 in.	8 000 mm / 26ft. 3in.	10 800 mm / 35ft. 5in.
Bed width	1 700 mm / 5ft. 7in.	2 200 mm / 7ft. 3in.	1 700 mm / 5ft. 7in.	2 200 mm / 7ft. 3in.	1 700 mm / 5ft. 7in.	1 700 mm / 5ft. 7in.	1 700 mm / 5ft. 7in.
Length of working area	3 600 mm / 12ft.	3 600 mm / 12ft.	5 000 mm / 16ft. 5in.	5 000 mm / 16ft. 5in.	5 650 mm / 18ft. 6in.	7 600 mm / 24ft. 11in.	10 400 mm / 34ft. 2in.
Width of working area/roller width	1 630 mm / 64in.	2 050 mm / 80in.	1 630 mm / 64in.	2 050 mm / 80in.	1 630 mm / 64in.	1 630 mm / 64in.	1 630 mm / 64in.
Work height flatbed	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.	875 mm / 2ft. 10in.
Max. thickness of substrate	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.
Bed surface	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat	Glass + Cutting mat
Roll holder on short side	yes	yes	yes	yes	yes	yes	yes
Roll holder on glide beam	yes	yes	yes	yes	yes	yes	yes
Casters-movability	yes	yes	yes	yes	yes	yes	yes
Powerful and ergonomic glide beam	yes	yes	yes	yes	yes	yes	yes
Illuminated LED table- (dimnable)	yes	yes	yes	yes	yes	yes	yes
Side trays	yes	yes	yes	yes	yes	yes	yes
Stop static kit (cord and magnet)	yes	yes	yes	yes	yes	yes	yes
R-Drive (motorized glide beam)	On request	On request	On request	On request	On request	On request	On request

UPGRADE YOUR ROLL SROLLER®

PRODUCT NAME	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
Electrical Height-adjustable table 750 - 1 100 mm 2ft. 3in. - 3ft. 7in.)	10375	11060	10360	10304	10383	11080	10549
Additional glide beam with roller	10065	10066	10065	10066	10065	10065	10065
Antistatic System	10424	10425	10424	10425	10424	10424	10424
Air blow gun	70962	70962	70962	70962	70962	70962	70962
EXC KeenCut EVO 3	71864	71864	71864	71864	71864	71864	71864
VinylRemover (incl. bracket)	71854	71854	71854	71859	71854	71854	71854
Additional roll holder short side	10052	10051	10052	10051	10052	10052	10052
Heat assisted roller 40°C-60°C	50103		50103		50103	50103	50103
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	11092	On request	11092	On request	11092	11092	11092
Roll cradle (2 pcs)	10098	10098	10098	10098	10098	10098	10098
Oil free Compressor	50213		50213	50213	50213	50213	50213

ROLL SROLLER®
PREMIUM

ROLL SROLLER® PREMIUM is the **origin** of Flatbed Applicators and a **benchmark** for this technology. Premium is our best seller, made to meet the needs of high volume industrial production. Premium is equipped with side trays for rolls of banner media, which makes it ideal for flex-face sign applications.


THIS IS INCLUDED

ROLL SROLLER® Premium Flatbed Applicator; Pneumatically controlled user safe roller which is automatically adjusted for substrates up to 60 mm (2 2/5in); Light table; Flatbed worktable with a uniquely designed self-healing cutting mat; Roll holder on glide beam for pre-masking tape and laminate; Roll holder on bed end for printed or cut film; Side trays for rolls of banner media; Stop static kit (cord and magnet) to remove static electricity; Casters (lockable); Owner's manual.

CUSTOMIZED SIZES AVAILABLE Contact your dealer.

OUTPUT

Up to 2,05 meter (80in.) wide, Up to 10,4 meter (409in.) long.



160-200 m²/hr
(1722-2153 ft²/hr)

OPTIONS



Electrical Height-adjustable table



Additional Glide beam with roller



Antistatic system



Air blow gun



EXC KeenCut EVO 3



VinylRemover



Additional roll holder short side



Heat assisted roller



Extended roller adjustment



SILTEK S/6 Oil free Compressor



Roll cradle 1 300 mm

WARRANTY

5 years limited warranty.



www.rollsroller.com/our-products/premium

#ROLLSROLLER



MODEL NAME	ROLLSROLLER® 540/170P HS IE	ROLLSROLLER® 605/170P HS IE
Part no.	11072	11044
Model type	Inventor Edition	Inventor Edition
Bed length	5 400 mm / 17ft. 9in.	6 040 mm / 19ft. 10 in.
Bed width	1 700 mm / 5ft. 7in.	1 700 mm / 5ft. 7in.
Length of working area	5000mm / 16ft 5in.	5650 mm / 18ft / 6in
Width of working area/roller width	1 630 mm / 64in.	1 630 mm / 64in.
Overall width incl. Glide beam	1 980 mm / 6ft. 6in.	1 980 mm / 6ft. 6in.
Overall height incl. Glide beam	1 500 mm / 4ft. 11in.	1 500 mm / 4ft. 11in.
Max. thickness of substrate	60 mm / 2 2/5in.	60 mm / 2 2/5in.
Work height flatbed	750 - 1 100 mm (2ft. 3in. - 3ft. 7in.)	750 - 1 100 mm (2ft. 3in. - 3ft. 7in.)
Bed surface	Glass + Cutting mat	Glass + Cutting mat
Power Supply (if illuminated)	230V/50Hz (10A) / 120V/60Hz (15A)	230V/50Hz (10A) / 120V/60Hz (15A)
Required air pressure	6 -8 bar / 87-116 psi	6 -8 bar / 87-116 psi
Warranty	5 years	5 years
Owner's Manual	DA, DE, ENG, ES, FR, SV	DA, DE, ENG, ES, FR, SV
Illuminated LED table- (dimmable)	yes, dimmable	yes, dimmable
Roll holder for Glide Beam	yes	yes
Roll holder for bed end	yes	yes
Casters-movability	yes (6)	yes (6)
Large Side trays for rolls of oversized banner material	yes	yes
Stop static kit, cord and magnet	yes	yes
Additional roll holder on short side	yes	yes
Electrical Height adjustment	yes, 750 - 1 100 mm/2ft. 3in. - 3ft. 7in.	yes, 750 - 1 100 mm/2ft. 3in. - 3ft. 7in.
Additional glide beam	Option	Option
Antistatic system (on one glide beam)	yes	yes
Air blow gun (on one glide beam)	yes	yes
EXC KeenCut EVO 3	yes	yes
VinylRemover	yes	yes
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	option	option
Heat assisted roller 40°C-60°C	Option	Option
R-Drive (motorized glide beam)	On request	On request

* Length of working area, one glide beam 4600 mm / 15ft 1in.
** Length of working area, one glide beam 5250mm / 17ft 3in. ***The table on the picture is equipped with an additional glidebeam



LET ROLLSROLLER®
INVENTOR EDITION TAKE
YOUR SIGN COMPANY TO
THE NEXT LEVEL.

PRODUCTION CAN START QUICKLY

- Fast ROI.
- Profitable.
- Easy to learn.

FLATBED APPLICATOR DOES THE
JOB IN A THIRD OF THE TIME

- Increased capacity
- Shorter delivery times
- More times for sales and customer care.

PERFECT RESULTS EVERY TIME

- Higher quality – no more bubbles and creases-Less wastage.
- Consistent high quality – every time.

ERGONOMIC WORK POSITION

- Better ergonomics.
- Less strain on the body
- Less sick leave.

WANT TO GO FOR GOLD?
UPGRADE YOUR
INVENTOR EDITION

PRODUCT NAME	PART.NO
Oil free Compressor	50213



#ROLLSROLLER
ROLLSROLLER.COM

ROLLSROLLER® INVENTOR EDITION

WANT TO GO FOR GOLD?


Let ROLLSROLLER® Inventor Edition take your sign company to the next level.

Apresenta-se



OUTPUT

Up to 1,63 meter (64in) wide. Up to 6,04m (19ft 10in) long



110-130 m²/hr
1184 - 1400ft²/hr

INCLUDED



Antistatic system



Height adjustable table



Additional roll holder



Air blow gun



EXC KeenCut EVO 3.



VinylRemover



Glide beam with heat roller 40°C-60°C



WARRANTY

5 years limited warranty.



www.rollsroller.se/our-products/inventor-edition/



MODEL NAME	ROLLSSROLLER® 400/145T	ROLLSSROLLER® 400/170T	ROLLSSROLLER® 600/145T	ROLLSSROLLER® 600/170T
Part no.	10355	10359	10354	10358
Model type	Traffic	Traffic	Traffic	Traffic
Bed length	4 000 mm / 13ft. 2in.	4 000mm / 13ft.2in.	6 000 mm / 19ft. 2in.	6 000 mm / 19ft. 2in.
Bed width	1 450 mm / 4ft. 9in.	1 700 mm / 5ft. 7in.	1 450 mm / 4ft. 9in.	1 700 mm / 5ft. 7in.
Length of working area	3 700 mm / 12ft. 2in.	3 700 mm / 12ft. 2in.	5 700 mm / 18ft. 8in.	5 700 mm / 18ft. 8in.
Width of working area/roller width	1 400 mm / 55in.	1 630 mm / 64in.	1 400 mm / 55in.	1 630 mm / 64in.
Work height flatbed	905 mm / 2ft. 12in.	905 mm / 2ft. 12in.	905 mm / 2ft. 12in.	905 mm / 2ft. 12in.
Max. thickness of substrate	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.	60 mm / 2 2/5in.
Bed surface	Adjustable aluminum profiles	Adjustable aluminum profiles	Adjustable aluminum profiles	Adjustable aluminum profiles
Illuminated LED table- (dimnable)	Not available	Not available	Not available	Not available
Roll holder on glide beam	yes	yes	yes	yes
Roll holder on one short side	yes On request	yes	yes	yes
Stop static kit (cord and magnet)	yes	yes	yes	yes
R-Drive (motorized glide beam)	On request	On request	On request	On request

UPGRADE YOUR ROLLSSROLLER®

PRODUCT NAME	PART NO.	PART NO.	PART NO.	PART NO.
Height-adjustable table 750 - 1 100 mm (2ft. 3in. - 3ft. 7in.)	11058	18937	10553	18938
Additional glide beam with roller	71469	10446	71469	10446
Antistatic System	10423	10424	10423	10424
Additional roll holder on short side	11053	11060	11053	10060
EXC KeenCut EVO 3	71864	71864	71864	71864
VinylRemover	71856	71854	71856	71854
Extended roller adjustment. Enables substrates up to 110 mm (4in.)	On request	11092	On request	11092
Oil free Compressor	50213	50213	50213	50213

ROLLSSROLLER® 1080/145T
10353
Traffic
10 800 mm / 35ft. 5in.
1 450 mm / 4ft. 9in.
10 500 mm / 3ft. 5in.
1 400 mm / 55in.
905 mm / 2ft. 12in.
60 mm / 2 2/5in.
Adjustable aluminum profiles
Not available
yes
yes
yes
On request

ROLLSSROLLER®
TRAFFIC

ROLLSSROLLER® TRAFFIC is designed for road sign production with high volumes of guide signs. It has a special profile bed adjustable to fit almost any extruded guide sign panels. Bed surface consists of 40x40/1,57in aluminum profiles. When working with application tape and over-lay film ROLLSSROLLER Entry, Regular or Premium is recommended to create a complete workflow.


THIS IS INCLUDED

ROLLSSROLLER® Traffic Flatbed Applicator; Pneumatically controlled roller which is automatically adjusted for substrates up to 60 mm (2 2/5in); Adjustable aluminum profile bed (special design for mounting onto high volume of Guide sign panels); Roll holder on glide beam for pre-masking tape and laminate; Roll holder on bed end for printed or cut film; Stop static kit (cord and magnet) to dissipate static electricity; Casters (lockable); Machine feet; Owner's manual.

CUSTOMIZED SIZES AVAILABLE Contact your dealer.

OUTPUT

Up to 1,63 meter (64in.) wide; Up to 10,5 meter (413 in.) long.



140-180 m²/h
(1507-1938 ft²/h)

- complete finished guide sign / operator

OPTIONS



Height-adjustable table



Additional glide beam with roller



Antistatic system



Additional roll holder short side



EXC KeenCut EVO 3



VinylRemover



Extended roller adjustment



SILTEK S/6 Oil free Compressor



Adjustable to fit different panels



ROLLSSROLLER® Traffic bed surface

WARRANTY

5 years limited warranty.



www.rollssroller.com/our-products/traffic